

C-STUDIO 5506AC C-STUDIO 6506AC C-STUDIO 7506AC

Product brochure

- Fully customisable A3 multifunction colour systems for impeccable document output at speeds of up to 75 ppm in colour and 85 ppm in monochrome.
- A standard Dual Scan Document Feeder for fast and reliable document processing at up to 240 ipm.
- Advanced media handling combined with superb image quality allows for easy in-house creation of a large range of professional looking documents.





CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind. Every industry has unique workflow needs. Toshiba has developed customisable MFPs to improve your work processes. Intuitive and smartly integrated, our products simplify complex tasks through customisable quick access icons and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

Sleeker, faster, and more versatile than ever.

Toshiba's high-end A3 colour line-up is as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technology, delivering brilliant quality documents at speeds of up to 75 pages per minute (ppm) in colour and 85 ppm in monochrome.

- Advanced Toshiba e-BRIDGE controller technology for high-quality document output with a resolution of up to 1,200 dpi x 1,200 dpi for colour and up to 3,600 x 1,200 dpi for monochrome
- Speeds of 55/65/75 ppm in colour and 65/75/85 ppm in monochrome
- High-speed, high-capacity Dual Scan Document Feeder for lightning fast document processing
- RGB substitution allows accurate colours when using office applications
- Auto-calibration ensures consistency of colour across all print jobs



Improve productivity and connectivity while simplifying your workflows.

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. Part of the bold new look being introduced across the new e-STUDIO series.

TOSHIBA INNOVATION AT ITS FINEST.

When it comes to seamless workflow and simplified integration, the e-STUDIO7506AC series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions.

AirPrint and Mopria support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture app provides additional capabilities including the ability to scan from the MFP back to your mobile device.

Cloud Support

New Scan-to-Cloud and Cloud Print capabilities increase productivity by allowing users to access, store and print documents remotely from the MFP. Whether it's Dropbox, Microsoft OneDrive or Google Drive, the new e-STUDIO7506Ac series makes scanning to or printing from the cloud simpler then ever.

The support for Google Cloud Print enables easy printing to the MFP from any location. Print jobs can be sent from outside the network environment without the need to install a printer driver.

Advanced Security

Alongside innovative functionality the e-STUDIO7506Ac series offers industry-leading security, which includes:

- The self-encrypting Toshiba Secure HDD, which provides top level security
- Optional security functions to make the systems compliant with IEEE2600.1 and meet the EAL3 Common Criteria requirements
- IPsec to securely encrypt data sent to and from the MFP

Environmental Responsibility

Toshiba is continuously working towards a more sustainable future for everyone, which is why our products reflect our commitment to the future of the planet.

- RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements

INNOVATIVE FEATURES, VERSATILE CONNECTIVITY.

The Toshiba e-STUDIO7506Ac series helps workgroups connect, integrate and simplify while improving efficiency, productivity and the professionalism of your printed materials.

Advanced e-BRIDGE Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

High, Robust Speeds 55/65/75 brilliant colour pages per minute and 65/75/85 monochrome pages per minute, respectively.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size, type or, in some cases, colour toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs at any time.

Toner Change On-The-Fly allows you to replace the toner cartridges while the MFP is printing.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs or generates editable document formats such as Microsoft Word.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Bluetooth/Wi-Fi Option to simplify workflow processes at the MFP and enable Wi-Fi Direct printing — ideal for mobile users.

Card Readers can be installed discreetly behind the cover of the systems. Providing fast and convenient access to your print jobs and increased data security.



Customised to display up to 18 icons per page and with a different background.




Display icons as buttons to easily access functions or start workflows.

A large tablet-like touch screen improves document handling. It lets you work intuitively, helping you access instructions, functions and commands with ease.

Size and order of icons as well as the background image can be customised to meet the individual needs and preferences of users. Enjoy the unique experience of working with a system that understands what you want.



CONFIGURATION



HIGHLIGHTS

Advanced Media Handling

A vast range of media types and sizes, including banner paper as long as 1,200 mm, combined with advanced colour management and various finishing options allow easy in-house production of impressive, high quality colour documents.

Multi Station Print Enabler

Toshiba's serverless printing solution allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their badge and authenticating at that device. Making last-minute changes to a print job directly at the MFP or re-printing previous jobs incredibly simple.

Dual Scan Document Feeder

The 300-sheet capacity, high-speed document feeder seamlessly scans both sides of each page in a single pass with speeds of up to 240 ipm.

SPECIFICATIONS

General

Print & Copy Speed	Colour:	55/65/75 ppm (A4) 27/30/37 ppm (A3) 65/75/85 ppm (A4)
	wonochiome.	30/37/40 ppm (A3)
Warm-up Time	Approx. 15 se	econds from low power mode
Paper Size & Weight	Tandem LCF ¹ Bypass: 100 x	iR-320 x 460 mm, 60-256 gsm ⁾ : A4, 60-256 gsm 148 mm-330 x 483 mm, 60-300 gsm, (up to 313.4 x 1,200 mm, 90-163 gsm)
Paper Capacity		
Automatic Duplex	A5R-320 x 46	0 mm, 60-256 gsm
Controller Type	Toshiba e-BR	IDGE
Control Panel	22.9 cm (9") I	Multi-Touch Colour Panel
Memory	Toshiba Secu	re HDD 320 GB ²⁾ , 4 GB RAM
Interface		DBase-TX/1000Base-T, JSB 2.0, WLAN ³ (IEEE802.11b/g/n), /i-Fi Direct ³⁾
Dimensions & Weight	955 x 698 x 1	,227 mm (W x D x H), 213 kg

Сору

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
First Copy Output Time	Colour: Approx. 6.4/6.4/5.4 seconds Monochrome: Approx. 5.2/4.5/4.1 seconds
Zoom	25-400% (Platen), 25-200% (DSDF)
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax³⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8/7/Vista/Server 2008 (32/64 bit), Server 2012/Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ³ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ³ , Embedded Web Browser, Job Skip
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ³⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ³⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ³⁾ protocols, IEEE802.1x support, IEEE2600.1 compliant ³⁾ , Scan to Secure PDF

Print

Resolution	600 x 600 dpi, 1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver only, monochrome)
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible
Supported Systems	Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare (NDPS), SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins ³ , Print from USB, Hold print, Tandem printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Up to 240 ipm (300 dpi) in colour and monochrome via Dual Scan Document Feeder
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF ³⁾ (and other formats like DOCX, XLSX) ³⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ³⁾ , OCR scan ³⁾ , Scan to Box (e-Filing), WIA, TWAIN

OPTIONS

EXTERNAL LARGE

CAPACITY FEEDER

HOLE PUNCH UNIT

SADDLE-STITCH FINISHER

2,500-sheet capacity, A4, 60-256 gsm

MULTI-STAPLE FINISHER 2 trays, 3,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)

> 2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 gsm (stapling mode)

Available in 2 holes (E), 4 holes (F)

SIDE EXIT TRAY FAX BOARD WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct) e-BRIDGE ID-GATE ACCESSORY TRAY PANEL TEN-KEY OPTION DATA OVERWRITE ENABLER IPsec ENABLER EMBEDDED OCR ENABLER MULTI STATION PRINT ENABLER HARD COPY SECURITY KIT META SCAN ENABLER UNICODE FONT ENABLER



ACCESSIBLE ARM



¹⁾ e-STUDIO5506Ac LCF version only

- ^a 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.
- 3) Optional



About Toshiba TEC

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone +44 (0)843 2244944

Email info@toshibatec.co.uk

Website www.toshibatec.co.uk





This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2017 TOSHIBA TEC. BR_e-STUDIO75006Ac series_0717 6BY0COP1611



Jav.66544.0816